

FIG 2. KERB RAMPS AT RIGHT ANGLE CORNER

NOTE No:1
 (i) WHEN "L" < 3m, DIRECTIONAL TACTILES ARE NOT REQUIRED.
 (ii) WHEN "L" IS >3m DIRECTIONAL TACTILES ARE REQUIRED.
 DIRECTIONAL TACTILES ARE NOT REQUIRED WHEN ABUTING AREA TO "L" IS NON HARD STANDING AS CONCRETE FOOTPATH IS ITS OWN TACTILE.
 DIRECTIONAL TACTILES ARE REQUIRED WHEN ABUTING AREA TO "L" IS HARD STANDING AS IT CONSTITUTES AN OPEN AREA.




FIG 1. RIGHT ANGLE KERB RAMP

REFER TO A.S. 1428.1 AND A.S. 1428.4. FOR PROFILE AND CORRECT PLACEMENT OF TGSI'S.
 IF CONFLICT OCCURS BETWEEN COUNCIL SDING AND AUSTRALIAN STANDARD DEFER TO AUSTRALIAN STANDARD

CITY OF BALLARAT

No.	AMENDMENTS	DATE
1.	Directional tactile starting from back of ramp instead of back of hazard tactile	
2.	PLACED "NOTE 1" RE: SECTION "L"	
3.	PLACED NOTE REFER TO A.S.	21/4/04

Approved by:

Date:

PEDESTRIAN KERB RAMP DETAIL WITH TACTILE INDICATORS



SCALE:
NOT TO SCALE
SHEET 2 OF 4
DRAWING NO:
SD-C4-2